

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	661	257/98.ccls.	USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	897	257/99.ccls.	USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	180	257/100.ccls.	USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	537	257/432.ccls.	USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	406	257/433.ccls.	USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	136	257/414.ccls.	USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
19	BRS	1423	257/737.ccls.	US-PGPUB; USPAT
20	BRS	202	257/433.ccls. and (sensor or optoelectronic or CCD)	US-PGPUB; USPAT
21	BRS	67	257/737.ccls. and transparent and (bump or ball)	US-PGPUB; USPAT
22	BRS	18	(257/737.ccls. and transparent and (bump or ball)) and (sensor or optoelectronic or CCD)	US-PGPUB; USPAT
23	BRS	51	(257/433.ccls. and (sensor or optoelectronic or CCD)) and transparent and (bump or ball)	US-PGPUB; USPAT
24	BRS	6	((257/433.ccls. and (sensor or optoelectronic or CCD)) and transparent and (bump or ball)) and (solder adj bump)	US-PGPUB; USPAT
25	BRS	1097	257/98.ccls.	US-PGPUB; USPAT
26	BRS	919	257/99.ccls.	US-PGPUB; USPAT

	Type	Hits	Search Text	DBs
27	BRS	365	257/100.ccls.	US-PGPUB; USPAT
28	BRS	497	257/88.ccls.	US-PGPUB; USPAT
29	BRS	66	257/100.ccls. and (sensor or optoelectronic or CCD)	US-PGPUB; USPAT
30	BRS	6	(257/100.ccls. and (sensor or optoelectronic or CCD)) and transparent and (bump or ball)	US-PGPUB; USPAT
31	BRS	204	257/98.ccls. and (sensor or optoelectronic or CCD)	US-PGPUB; USPAT
32	BRS	159	257/99.ccls. and (sensor or optoelectronic or CCD)	US-PGPUB; USPAT
33	BRS	18	(257/99.ccls. and (sensor or optoelectronic or CCD)) and transparent and (bump or ball)	US-PGPUB; USPAT
34	BRS	19	(257/98.ccls. and (sensor or optoelectronic or CCD)) and transparent and (bump or ball)	US-PGPUB; USPAT
35	BRS	383	257/433.ccls.	EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
36	BRS	235	257/737.ccls.	EPO; JPO; IBM_TDB
37	BRS	633	257/98.ccls.	EPO; JPO; IBM_TDB
38	BRS	865	257/99.ccls.	EPO; JPO; IBM_TDB
39	BRS	173	257/100.ccls.	EPO; JPO; IBM_TDB
40	BRS	1	"6050832".pn.	USPAT
41	BRS	1227	257/786.ccls.	US-PGPUB; USPAT
42	BRS	31	257/786.ccls. and pad and redistribution	US-PGPUB; USPAT
43	BRS	1	"6607941".pn.	USPAT
44	BRS	1	"6429036".PN.	USPAT
45	BRS	1	"6498381".pn.	USPAT
46	BRS	1	"6677235".pn.	USPAT
47	BRS	1	"6322903".pn.	USPAT
48	BRS	694	257/433.ccls.	US-PGPUB; USPAT; USOCR
49	BRS	705	257/414.ccls.	US-PGPUB; USPAT; USOCR
50	BRS	954	257/432.ccls.	US-PGPUB; USPAT; USOCR
51	BRS	675	257/88.ccls.	US-PGPUB; USPAT; USOCR
52	BRS	1647	257/98.ccls.	US-PGPUB; USPAT; USOCR
53	BRS	1356	257/99.ccls.	US-PGPUB; USPAT; USOCR
54	BRS	0	257/100ccls.	US-PGPUB; USPAT; USOCR
55	BRS	581	257/100.ccls.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
56	BRS	95	257/98.ccls. and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
57	BRS	85	257/99.ccls. and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
58	BRS	67	S48 and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
59	BRS	32	S51 and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
60	BRS	1842	257/737.ccls.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
61	BRS	40	S64 and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
62	BRS	12	S49 and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
63	BRS	32	257/88.ccls. and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
64	BRS	39	257/100.ccls. and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT
65	BRS	954	257/432.ccls.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
66	BRS	60	S67 and (sensor or opto or optic\$2 or image) and transparent and (bump or ball) and (wafer or die or silicon)	US-PGPUB; USPAT